## Sixteenth Marcel Grossmann Meeting



Contribution ID: 69

Type: Talk in the parallel session

## Quadratic curvature theories formulated as Covariant Canonical Gauge theories of Gravity

Tuesday, 6 July 2021 08:10 (20 minutes)

The Covariant Canonical Gauge theory of Gravity is generalized by including at the Lagrangian level all possible quadratic curvature invariants. In this approach, the covariant Hamiltonian principle and the canonical transformation framework are applied to derive a Palatini type gauge theory of gravity. The metric gµv, the affine connection  $\gamma\lambda\mu\nu$  and their respective conjugate momenta, kµv\sigma and q $\alpha\xi\beta\eta$ 

tensors, are the independent field components describing the gravity. The metric is the basic dynamical field, and the connection is the gauge field. The torsion-free and metricity-compatible version of the space-time Hamiltonian is built from all possible invariants of the  $q\alpha\xi\beta\eta$  tensor components up to second order. These correspond in the Lagrangian picture to Riemann tensor invariants of the same order. We show that the quadratic tensor invariant is necessary for constructing the canonical momentum field from the gauge field derivatives, and hence for transforming between Hamiltonian and Lagrangian pictures. Moreover, the theory is extended by dropping metric compatibility and enforcing conformal invariance. This approach could be used for the quadratic curvature theories, as for example in the case of conformal gravity

Primary author: BENISTY, David (University of Cambridge)

Presenter: BENISTY, David (University of Cambridge)

Session Classification: Extended Theories of Gravity and Quantum Cosmology

**Track Classification:** Alternative Theories: Extended Theories of Gravity and Quantum Cosmology