



Contribution ID: 881

Type: **Talk in the parallel session**

## The effect of screening mechanisms on black hole binary inspiral waveforms

*Tuesday, 6 July 2021 10:10 (20 minutes)*

Scalar-tensor theories leaving significant modifications of gravity at cosmological scales rely on screening mechanisms to recover General Relativity (GR) in high-density regions and pass stringent tests with astrophysical objects. Much focus has been placed on the signatures of such modifications of gravity on the propagation of gravitational waves through cosmological distances while typically assuming their emission from fully screened regions with the wave generation strictly abiding by GR. In this talk, I will question the hypothesis of a fully screened source in gravitational wave emissions and examine the impact of screening mechanisms on the inspiral gravitational waveforms from compact sources. For that purpose, I will present the leading corrections to the GR waveform from general Horndeski theories and apply the results to the cubic Galileon model. In particular, we will see that the current sensitivity of our ground-based interferometers on the amplitude of gravitational waves is not yet sufficient to detect the deviation, supporting fully screened wave emissions. However, the predicted effect of the scalar field is not so small as to remain undetected by the future generation of detectors, such as LISA or the Einstein telescope.

**Primary authors:** RENEVEY, cyril (LPSC, Grenoble); Dr MCMANUS, Ryan; Mr DALANG, Charles; Prof. LOMBRISER, Lucas

**Presenter:** RENEVEY, cyril (LPSC, Grenoble)

**Session Classification:** Theories of Gravity: Alternatives to the Cosmological and Particle Standard Models

**Track Classification:** Alternative Theories: Theories of gravity: alternatives to the cosmological and particle standard models